



CSS8004/CSS8008/ CSS8018

CSS-BB4 CSS-BB8

CSS-TR4/8

100 mm (4 in) and 200 mm (8 in)
Commercial Series Ceiling Speakers for
Use with Pre-Install-Type Backcans.

Commercial Series

Key Features:

- Aff d ab ced, h gh- a d a- c e e ce g ea e.
- Pe- a e bed ea e / a f e / g ea e b .
- S abef ag g bac g d ca ca , c d g ea e, e a a , ch , a d he fac e.
- Ve h gh e de a a d ee g a a e e.
- Q a e- age a f e (100V, 70V a d 25V).
- Pac f ece c a d d a ac aged ea e f h g - ac a e b e.



JBL' C e ca Se e Ce g S ea e de e ce e f a ce f ag g a d bac g d ca ca . H gh e ac he d c e de a d ee, e e a a e g .

M de **CSS8004** a 100 (4) ea e h 90 dB e a da 5-Wa -a a f e .

M de **CSS8008** a 200 (8) ea e h h gh 96 dB e , g ea e ba e e ha he CSS8004, a da 5-Wa -a a f e .

M de **CSS8018** a h ghe - e 200 (8) ea e, h e h gh 97 dB e a da a ge 10-Wa -a a f e .

The ea e' e- a ached e- age a f e de e a b a g e 100V, 70V 25V d b ed d ea e e .

The d e fea e a f 25 (1) da ee ce c ha Ka c -f e a d h gh- e ea e ef be e e d a a d g- e e ab . F a a c e e ce, he ea e g e a d a f e a e e- a ached he d e. G e a e a ed, c- a ed, c d- ed ee . The 200 (8) de fea e a a da d 286 (11¼) b - g da ee . Mach g CSS


bac ca a e ade f c- a ed ee h de- c a ed h. CSS ee e- a bac ca ca be a ed, ed, a d ec ed a a f he ea e .

Loudspeaker Assemblies:

	CSS8004	CSS8008	CSS8018
(-)	()	()	()
(-)	9	9	9
(-)			9
I - A			
()			
I			
	()	()	()
A			A9 & A , I , I , 9 9
	-	- ()	- ()
		- ()	- ()
		- ()	- ()
	()	()	()
I - -	()	9 ()	9 ()
()	9 ()	()	(9)
	9 ()	(9)	(9)
()	9 ()	()	()
()	()	9 ()	()
I A			

1 C P N e Ra g (IEC- ha ed e h a 6 dB ce fac , f 100 h c), 2.83V e e . JBL c a e gage e ea ch ea ed d c e e . S e a e a , d c eh d a d de g e e e a e d ccd e g d c h ce a a e e e f ha h h . F h ea , a c e JBL d c a dffe e e ec f b hed de c , b a a e a e ceed he g a de g ec ca e he e a ed.

CSS8004/CSS8008/CSS8018 Commercial Series Ceiling Speakers



► CSS8004/CSS8008/CSS8018 Commercial Series Ceiling Speakers

Dimensions:

CSS8004

