





ULX-D™

ULX-D



ULX-D



ULX-D



15 12



ULX-D

(AES) 256



Workbench™ 6

Dante™

Wireless



ULX-D

# ULX-D™

## ULXD4



## ULXD4D



## ULXD4Q



24- 1 /48

20 20

120

60

72.

8.

8.

23

63

A 256

. 1 6

A 600 A 1

A /

120

A 256

900

11

200

2 AA

11

100

. 58 0 4.6.165 9 > -6 ( ) 2 1 -0.018 0.018 1.148 0 6 6 > -12 > -28654 < 0A9 > -41 < 1 0 A >




ULX-D™



1mW

- 8MHz
- 125 kHz
- 30 100

63 ULX-D



8MHz 63

 Dante™

Dante IP

- Dante
  - Dante
  - ULXD4D ULXD4Q
- ULX-D



ULX-D

- ULXD4D ULXD4Q

		470 932	
		>70	
		<2.9	
		-98 10 <sup>-5</sup>	
		100	
		20 -20	
		>120 A	
@ +10		130	A
		<0.1%	
12	@ +10		
		-18 (0 ) - 50 (122 )	



		4 171 197 42	
		4 4 482 274 44	
		4 0.9	
		4 3.36	
		4 3.45	
		4 15 @ 0.6 A	
		4 100 - 240 A 50-60 0.26 A	
		4 100 - 240 A 50-60 0.32 A	
		-18 +42 1	
		6.35 +12 4	
		+18 -12	
		4 10/100 1	
		4 4	
		4 4	

		1 86 66 23	
		2 256 51	
		1 142	
		2 340	
@ 10 mW		900	11
		2 AA	11
		1 . . , 10 . . , 20 . .	
		1	
		2	
		1	
		2	