





ULX-D™



ULX-D



15

12



Workbench™ 6

Dante™

Wireless

ULX-D



ULX-D



ULX-D

(AES) 256



ULX-D

ULX-D™

ULXD4



ULXD4D



ULXD4Q



24-	/48	κ				A	256
20		20	κ				
	120					κ	κ 6
		60				A	600 A
						A	/
	72						
		8					½
				23			
							63

120

A 256

900

11

200

2 AA

11



100

58




ULX-D™



1mW

- 8MHz
- 125 kHz
- 30 100

63 ULX-D



8MHz 63

 Dante™

Dante IP

- Dante
 - Dante
 - ULXD4D ULXD4Q
- ULX-D



" " —

- ULX-D
- ULXD4D ULXD4Q

470 932
>70
<2.9
-98 10 ⁻⁵
100
20 -20
@ +10 >120 A 130 A
<0.1%
12 @ +10
-18 (0) -50 (122)



171, 197, 42
482, 274, 44
0.9
3.36
3.45
15 @ 0.6 A
100 - 240 A 50-60 0.26 A
100 - 240 A 50-60 0.32 A
-18 +42 1
¼ 6.35 +12 +18 -12
10/100
1

86, 66, 23
256, 51
142
340
@ 10 mW 900 11
2 AA 11
1 , 10 , 20
¼