





## ULX-D™



24

ULX-D



15



12

Workbench™ 6

Dante™

Wireless

## ULX-D



ULX-D



ULX-D

(AES) 256



ULX-D

# ULX-D™

## ULXD4



## ULXD4D




## ULXD4Q



- 24-, /48<sup>k</sup>
- 20 ▽ 20<sup>k</sup>
- 120,
- 60,
- 
- 72L
- 8L
- 8L
- 23
- 63
- 
- 
- A 256
- 
- 6
- A 600 A
- AL /
- 
- 2
- 

- 1 ▽
- 
- 
- 
-






ULX-D™



1mW

- 8MHz
- 125 kHz
- 30 100

63 ULX-D



8MHz 63

 Dante™

Dante IP

- Dante
  - Dante
  - ULXD4D ULXD4Q
- ULX-D



ULX-D

- 
- 
- ULXD4D ULXD4Q

470 932 L
>70
<2.9
-98,   10 <sup>-5</sup>
100
20 -20 <sup>4</sup>
>120, A
@ +10 130, A
<0.1%
, 12, @ +10
-18 (0 ) - 50 (122 )



▽ ▽ 4 171 ▽ 197 ▽ 42
▽ ▽ 4 ▽ ▽ 4 482 ▽ 274 ▽ 44
▽ ▽ 4 0.9
▽ ▽ 4 3.36
▽ ▽ 4 3.45
▽ ▽ 4 15 ▽ @ 0.6 A
▽ ▽ 4 100 - 240 ▽ A 50-60 0.26 A
▽ ▽ 4 100 - 240 ▽ A 50-60 0.32 A
-18 +42, 1,
1/4 6.35 +12, ▽ ▽ ▽ 4
▽ ▽ +18, ▽ -12, ▽
▽ ▽ 4 10/100 L
▽ ▽ 4 ▽ ▽ 4 1
▽ ▽ 4
▽ ▽ 4 ▽ ▽ 4

▽ ▽ 1 86 ▽ 66 ▽ 23
▽ ▽ 2 256 ▽ 51
▽ ▽ 1 142
▽ ▽ 2 340
@ 10 mW 900 11
2 AA 11
1 ▽ , 10 ▽ , 20 ▽
▽ ▽ 1
▽ ▽ 2
▽ ▽ 1 / 1/4
▽ ▽ 2