





ULX-D™

ULX-D



ULX-D



ULX-D



15

12



ULX-D

(AES) 256



Workbench™ 6

Dante™

Wireless



ULX-D

ULX-D™

ULXD4



ULXD4D



ULXD4Q



| | | | | | | |
|-----|-----|----|---|----|---|-------|
| 24- | /48 | € | | | A | 256 |
| 20 | | 20 | € | | | |
| | 120 | | | | € | 16 |
| | 60 | | | | A | 600 A |
| | | | | | A | / |
| 72 | | | | | | |
| 8 | | | | 23 | | 1/2 |
| | 8 | | | | | |
| | | | | | | 63 |

120

A 256

900

11

200

2 AA

11



100

58




ULX-D™



1mW

- 8MHz
- 125 kHz
- 30 100

63 ULX-D



8MHz 63

 Dante™

Dante IP

- Dante
 - Dante
 - ULXD4D ULXD4Q
- ULX-D



ULX-D

-
-
- ULXD4D ULXD4Q

| |
|--------------------------------------|
| 470 932 |
| >70 |
| <2.9 |
| -98 10 ⁻⁵ |
| 100 |
| 20 -20 ↵ |
| @ +10 ↻ >120 A A |
| 12 ↵ @ +10 <0.1% |
| -18 (0 ↵ - 50 (122 ↵ |



| |
|---------------------------------------|
| ↻ 171, 197, 42 ↵ ↵ |
| ↻ ↻ ↻ 482, 274, 44 ↵ ↵ |
| ↻ 0.9 |
| ↻ ↻ 3.36 |
| ↻ 3.45 |
| ↻ 15 ↻ @ 0.6 A |
| ↻ ↻ 100 - 240 A 50-60 0.26 A |
| ↻ 100 - 240 A 50-60 0.32 A |
| -18 +42 1 |
| ¼ 6.35 +12 ↻ |
| +18 -12 |
| ↻ 10/100 |
| ↻ ↻ ↻ 1 |
| ↻ ↻ ↻ |
| ↻ |
| ↻ ↻ ↻ |

| |
|----------------------------|
| ↻ 86, 66, 23 ↵ ↵ |
| ↻ 256, 51 ↵ |
| ↻ 142 |
| ↻ 340 |
| @ 10 mW 900 11 |
| 2 AA 11 |
| 1 , 10 , 20 |
| ↻ |
| ↻ |
| ↻ ¼ |
| ↻ |