





## ULX-D™



ULX-D



15

12



Workbench™ 6

Dante™

Wireless

## ULX-D



ULX-D



ULX-D

(AES) 256



ULX-D

# ULX-D™

## ULXD4



## ULXD4D



## ULXD4Q



24- /48 k A 256  
20 20 k  
120 ▀ B k 6  
60 ▀ B A 600 A  
A /  
72  
8 23 63 1/2  
8 63

120

A 256

900

11

2 AA

200

11



100

58) 0 4.6.1659>-6 ( ) / 201 -0.018 0.018 1.148 0 0046 >-12>-28654<0A9>-41<1.0 A>001



# ULX-D™



1mW

- 8MHz
- 125 kHz
- 30 100

63 ULX-D



Dante IP

- Dante ULX-D
- Dante
- ULXD4D ULXD4Q



ULX-D

- 
- 
- ULXD4D ULXD4Q

470 932

>70

<2.9

-98 10<sup>-5</sup>

100

20 -20

>120 A

@ +10

130

A

<0.1%

12

@ +10

-18 (0) -50 (122)

171, 197, 42

482, 274, 44

0.9

3.36

3.45

15 @ 0.6 A

100 - 240 A 50-60 0.26 A

100 - 240 A 50-60 0.32 A

-18 +42 1

¼ 6.35 +12

+18

-12

10/100

1

1

1

86, 66, 23

256, 51

142

340

@ 10 mW

900

11

2 AA 11

1 , 10 , 20

1

2