





ULX-D™

ULX-D



ULX-D



ULX-D



15 12



ULX-D (AES) 256



Workbench™ 6

Dante™

Wireless



ULX-D



2 4

XLR



# ULX-D™

## ULXD4



## ULXD4D




## ULXD4Q



— 24- /48 .  
— 20 . 20 .  
— 120  
— 60  
—  
— 721 .  
— 81 . 23 63  
— 81 .  
—  
—  
— A 256  
—  
— 1 6  
— A 600 A ,  
— AI / , , ,  
— 1 2  
—

— 1 .  
—  
—  
—






### ULX-D™



1mW

- 8MHz
- 125 kHz
- 30 100

63 ULX-D



## Dante™

Dante IP

- Dante
- Dante
- ULXD4D ULXD4Q



ULX-D

- ULXD4D ULXD4Q

	470	932	1
	>70		
	<2.9		
	-98	1	10 <sup>-5</sup>
		100	
	20	-20	
		>120	A
@ +10		130	A
		<0.1%	
12	@ +10		
		-18	(0) - 50 (122)



	-	1	4	171	197	42
	-	1	4	-	1	4
	-	1	4	482	274	44
	-	1	4	0.9		
	-	1	4	3.36		
	-	1	4	3.45		
	-	1	4	15	r	@ 0.6 A
	-	1	4	100 - 240	r	A 50-60 0.26 A
	-	1	4	100 - 240	r	A 50-60 0.32 A
	-	18	+42		1	
			6.35	+12	r	-
				+18	r	-
	-	1	4	10/100	1	
	-	1	4	-	1	
	-	1	4			
	-	1	4	-	1	

	-	1	1	86	66	23
	-	1	2	256	51	
	-	1	1	142		
	-	1	2	340		
@ 10 mW				900		11
	2	AA			11	
	11	-	10	-	20	-
	-	1	1			
	-	1	2			
	-	1	1			
	-	1	2			