





ULX-D™

ULX-D



ULX-D



ULX-D



15

12



ULX-D

(AES) 256



Workbench™ 6

Dante™

Wireless



ULX-D

# ULX-D™

## ULXD4



## ULXD4D



## ULXD4Q



24- /48 k A 256  
20 20 k  
120 ■ B k 6  
60 ■ B A 600 A  
A /  
72  
8 23 63 1/2  
8 63

120

A 256

900

11

2 AA

200

11



100

58




ULX-D™



1mW

- 8MHz
- 125 kHz
- 30 100

63 ULX-D



8MHz 63



Dante IP

- Dante
- Dante
- ULXD4D ULXD4Q



ULX-D

- ULXD4D ULXD4Q

470 932

>70

<2.9

-98  $10^{-5}$

100

20 -20

>120 A

@ +10

130

A

<0.1%

12

@ +10

-18 (0) -50 (122)

171, 197, 42

482, 274, 44

0.9

3.36

3.45

15 @ 0.6 A

100 - 240 A 50-60 0.26 A

100 - 240 A 50-60 0.32 A

-18 +42 1

1/4 6.35 +12

+18

-12

10/100

1

86, 66, 23

256, 51

142

340

@ 10 mW

900 11

2 AA 11

1, 10, 20

1/4