



A TIST ELITE。

UHF

AEW-DA550C	540-565 MHz
AEW-DA660D	655-680 MHz
AEW-DA730G	721-752 MHz
AEW-DA800E	795-820 MHz
AEW-DA800J	779-810 MHz
AEW-DA860F	840-865 MHz

鐵三角®



UHF

Audio-Technica ()

Audio-Technica

)

UHF

(
UHF

AEW-DA550C, AEW-DA660D, AEW-DA730G, AEW-DA800E, AEW-DA800J AEW-DA860F
UHF

4

UHF

"C"	AEW-DA550C	540-565MHz
"D"	AEW-DA660D	655-680MHz
"G"	AEW-DA730G	721-752MHz
"E"	AEW-DA800E	795-820MHz
"J"	AEW-DA800J	779-810MHz
"F"	AEW-DA860F	840-865MHz

BNC

10 BNC-BNC

UHF

8

RG-8

+12V

250mA

4
4

(
ATW-R3100

)
ATW-R2100 (

12V/500mA
)

4

12V

100-240V, 50/60Hz
IEC-320

IEC

IEC


500W

500W

(1)

- 1.
- 2.
- 3.

1 -



(2)

- 4. B 12V 250mA
- 5. B 12V
- 6. B
- 7. B 4
- 8. A 12V 250mA
- 9. A 12V
- 10. A
- 11. A 4
- 12. 12V 500mA 4 ATW-RDCN 4
ATW-R3100 ATW-R2100 ()
- 13. 500W
- 14. IEC 100~240V-50/60Hz
- 15. 19"

2 -

BNC

BNC

(4)

BNC-BNC

BNC

BNC

BNC



	AEW-DA550C, 540 ~ 565 MHz
	AEW-DA660D, 655 ~ 680 MHz
	AEW-DA730G, 721 ~ 752 MHz
	AEW-DA800E, 795 ~ 820 MHz
	AEW-DA800J, 779 ~ 810 MHz
	AEW-DA860F, 840 ~ 865 MHz
	0 dB, ± 3 dB
	-3 dB, ± 3 dB
	50
	50
()	+12V
	250 mA
	+12V (4)
	500 mA
	100-240V, 50/60 Hz, (500W)
	480.0 mm x 48.8 mm x 280.0 mm
	2.7
	4 0.5m BNC-BNC 10



1.		8.	1)	2)
2.			3)	
3.		9.		
	2			
4.				
5.			0dB	
6.				
7.		10.		

	AICD ()	
(0.05W)		RF RF